

KVM/IP device list

<p style="text-align: center; border: 1px solid black; padding: 2px;">IP device</p> <p>Identifying Name - e.g. by location</p> <p>_____</p> <p>MAC address</p> <p>_____</p> <p style="text-align: center;">Local mouse type - Standard 2 button / Wheel</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">KVM switch <small>(where relevant)</small></p> <p>Switch type</p> <p>_____</p> <p>Number of ports</p> <p>_____</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>
<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>
<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>
<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center; border: 1px solid black; padding: 2px;">Target server</p> <p>Identifying Name</p> <p>_____</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>

* Only needed when not default

Please refer to the KVM.NET II Quick installation Guide

IP device list

<p style="text-align: center;">IP device</p> <p>Identifying Name - e.g. by location</p> <p>_____</p> <p>MAC address</p> <p>_____</p> <p>Local mouse type - Standard 2 button / Wheel</p>	<p style="text-align: center;">KVM switch (where relevant)</p> <p>Switch type</p> <p>_____</p> <p>Number of ports</p> <p>_____</p>	<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>
<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>
<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>
<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>	<p style="text-align: center;">Target server</p> <p>Identifying Name</p> <p>Port number_____</p> <p>OS _____</p> <p>Mouse settings *: Acceleration_____</p> <p>Threshold_____</p>

* Only needed when not default

PX list

PX	Target server
Identifying Name - e.g. by location	Identifying Name _____ OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name _____ OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name _____ OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name _____ OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name _____ OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name _____ OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name _____ OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name _____ OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

* Only needed when not default

PX list

PX	Target server
Identifying Name - e.g. by location	Identifying Name OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

PX	Target server
Identifying Name - e.g. by location	Identifying Name OS _____
_____ MAC address _____	Mouse settings *: Acceleration _____ Threshold _____

* Only needed when not default